

CITY OF PARAÑAQUE BUSINESS PERMIS AND LICENSING OFFICE





APPLICATION FOR SPECIAL PERMIT / CERTIFICATE OF NO OBJECTION [WITH UNDERTAKING]

CATEGORY	se put a 🗸) Concert Osoc	HAL EVENT ORALLY			
MICE (Meetings, Incentives,	Conferences, Exhibitions) OMOTORC	ADE OFUNRUN			
NAME OF APPLICANT					
NAME OF AFFEICANT	Last Name First Na	me Middle Name	Suffix	e No.	
DESIGNATION				-:1	
EVENT ORGANIZER/PRO			E-m		
	OMOTER DETAILS				
NAME OF ORGANIZ	ER/ PROMOTER:			BIN:	
RIISINESS ADDRESS					(if applicable)
	RSON:				
	NO				
EVENT DETAILS					
TITLE OF EVENT					
DDIEE DESCRIPTION OF EV	/ENIT				
BRIEF DESCRIPTION OF EV	/ENT				
LOCATION OF EVENT	Name of Establishment	Name of Building	Block No.	Lot No.	Street
		• • • • • • • • • • • • • • • • • • •			
Barangay	City/Municipality	Province	<u> </u>	 e	
DATE/S OF THE EVENT	TIME OF THE EVENT (PER DAY)	ESTIMATED ATTENDANCE (ULLY VACCINATED
		PARTICIPANTS (PER I	DATI	DAY 1:	RTICIPANTS (PER DAY)
		DAY 2:		DAY 2:	
		TOTAL (MULTI-DAY EVENT):		DA1 2.	
		TOTAL (MOLII-DAT LVLINI).			
VENUE SETTING	VENUE CAPACITY	TOTAL NO. OF EMPLO PERSONNEL (PER D.). OF VACCINATED PERSONNEL (PER DAY)
OINDOOR	INDOOR	(INCLUDING PROVIDERS/SUPP			IG PROVIDERS/SUPPLIERS)
_					
OUTDOOR	OUTDOOR				
HEALTH AND SAF					
TO BE EN					
(An additional page	e may be affached)				
Main Office Address					

1. All information in this application are true and correct based on my personal knowledge and authentic records submitted to the City Government of Paranaque. Any false or misleading information supplied, or production of documents shall be a ground for appropriate legal action against me.

3. We undertake to strictly comply with the guidelines prescribed by the IATF and other National Government Agencies on the conduct of MICE and Social Events/ Gatherings while under the current Community Quarantie Status, such as but not limited to:

i. Maximim number of guests/ participants;
ii. Vaccination Status of participants (if applicable);
iii. Vaccination Status of Venue employees. providers and suppliers;
iv. Minimum Public Health Standards;
v. Social Distancing;

4. We understand that violation of the conditions imposed for the issuance of the Permit/Certificate shall warrant the immediate revocation of the same and the imposition of administrative sanctions and penalties, withou prejudice to to the filing of appropriate criminal charges under the Penal Code and relevant laws, ordinances, rules and regulations.

5. I am executing this Affidavit to a	ttest to the truth of the foregoing facts	and to use the same for whatever legal purpo	ose it may serve.
IN WITNESS WHEREOF, I hereunto affix my signature this		at	
		_	Affiant
SUBSCRIBED AND SWORN to before n	ne this at	, Affiant exhibiting to me his	
bearing ID No	issued at	on	·
Doc No; Page No; Book No; Series of 2021.			

LGU SECTION

(The BPLO, TPMO, PNP, DRRMO, and BFP shall fill-up this section)

VERIFICATION OF DOCUMENTS

	OFFICE/AGENCY	CC	OMPLIAN	EVALUATED BY	
DESCRIPTION		YES	NO	NOT REQUIRED	
DTI OR SEC OF ORGANIZER OF PROMOTER	BPLO				
LETTER ADDRESSED TO THE MAYOR THRU THE BPLO, STATING: - Number of tickets for sale - Venue capacity - Price per ticket	BPLO				
CERTIFICATE FROM THE VENUE	BPLO				
PAYMENT OF AMUSEMENT TAX AND MAYORS PERMIT FEE	BPLO				
TRAFFIC PLAN	TPMO & DRRMO				
ROAD MAP	ТРМО				
VENUE EMERGENCY & SECURITY PLAN	TPMO, DRRMO, & PNP				
VENUE LAYOUT/ EVENT MAP	BPLO, TPMO & DRRMO				
NVENTORY OF EMERGENCY RESOURCES (location & quantity of emergency vehicles, safety/medical equipment, etc.)	DRRMO				
EVENT DIRECTORY (Contact information of key event personnel)	DRRMO				

BUREAU OF FIRE PROTECTION SECTION

This certifies that the subject application is in compliance with the pertinent provisions of the 2019 Implementing Rules and Regulations of RA No. 9514, otherwise known as The Fire Code of the Philipines, listed below:

- 1. Section 10.2.5.2 paragraph (G) sub-paragraph (2) "When the occupant load for any storey or portion thereof is more than five hundred (500) but not more than one thousand (1000), the means of egress shall not be less than three (3); in excess thereof, the means of egress shall not be less than four (4)."

 2. Section 10.2.8.2 paragraph (E) "Exits shall be so arranged that the total length of travel from any point to reach an exit will not exceed forty-six (46) meters in any place of assembly for spaces not protected by approved, supervised sprinkler as required."

 3. Section 10.6.9 "Portable fire extinguishers shall be provided."

 4. Section 10.2.6.9 paragraph (G) sub-paragraph (C)(3) "Travel distances for portable fire extinguishers shall not exceed ten (10) meters."

 5. Section 10.2.8.12 paragraph (A) "Standby BFP Personnel. The City/Municipal Fire Marshall having jurisdiction, whenever in his/her judgement it is essential for public assembly, or any other place where people congregate, due to the number of persons, or the nature of the performance, exhibitions, display contest or activity, is authorized to detial standby BFP personnel at such place."
- 6. Section 10.2.8.13 paragraph (A) "All grandstands, tents, and other places of outdoor assembly shall comply with the requirements of NFPA 102, Standard for Grandstands, Folding and Telescopic Seating, Tents, and Membrane Structures."

 7. Section 10.2.8.10 paragraph (B) "in all theaters, nightclubs, dance halls and similar occupancies, an audible announcement and other means of announcement shall be made prior to the performance describing the location of exits to be used in case of fire or other emergencies."
- 8. Section 10.4.6.13 "No person shall be allowed to conduct firework exhibition without first securing a clearance from the City/Municipal Fire Marshall having jurisdiction."

•	. Electrical writing installation of equipment stall be in decordance with provision of the latest edition of the latest electrical code (i.e.
DE	AAA DVC.
KE	MARKS:

Certified by	Time and Date Received	Approved Denied	Not Required
		1	





